

From: [Eric Delgado](mailto:Eric.Delgado)
To: Raj.Dutt@WestonSolutions.com
Cc: [Delgado, Eric](mailto:Delgado_Eric); Janine.Latham@WestonSolutions.com
Subject: Re: West Fertilizer Tier II report
Date: Saturday, April 20, 2013 10:30:21 AM

thanks

On Apr 20, 2013, at 10:21 AM, "Dutt, Rajendra (Raj)"
<Raj.Dutt@westonsolutions.com> wrote:

I just downloaded all the data from ePlan.
See attached. Please rename file to .zip before opening.

Thanks

Raj Dutt, GISP

IT Technical Manager

Weston Solutions, Inc.

972-743-5690 (Cell)

469-666-5530 (Office)

From: Delgado, Eric [mailto:Delgado.Eric@epa.gov]
Sent: Saturday, April 20, 2013 10:18 AM
To: Latham (Polinko), Janine; Dutt, Rajendra (Raj)
Subject: Fw: West Fertilizer Tier II report

Will you add this to the documents tied to the facility.

From: Delgado, Eric
Sent: Saturday, April 20, 2013 10:06:30 AM
To: Gray, David; Webster, Susan; Ruhl, Christopher
Cc: Foster, Althea; Mark Hayes; Gary Moore; Paige Delgado
Subject: RE: West Fertilizer Tier II report

here is the current report for Adair. there is no mention on ammonium nitrate

From: Gray, David
Sent: Saturday, April 20, 2013 9:11 AM
To: Delgado, Eric; Webster, Susan; Ruhl, Christopher
Subject: RE: West Fertilizer Tier II report

No _ I have this one for West. I need the Adair one that shows nitrate.

David

From: Delgado, Eric
Sent: Saturday, April 20, 2013 8:53 AM
To: Webster, Susan; Ruhl, Christopher; Gray, David
Subject: Fw: West Fertilizer Tier II report

Here it is

From: Morgan, Bradley
Sent: Thursday, April 18, 2013 9:27:05 AM
To: Delgado, Eric
Subject: West Fertilizer Tier II report

Brad Morgan
Client Service Manager, Southern Div. IT CX Lead

Weston Solutions, Inc.
3900 Dallas Parkway, STE. 175
Plano, TX 75093
(469) 666.5528 Direct
(972) 9777422 Cell
brad.morgan@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named image001.jpg which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

<ePlan-Adair.piz>